INDEX TO AUTHORS

AGNER, KJELL. Studies on peroxidative detoxification of purified diphtheria toxin, 337

ALEXANDER, MARY M. A quantitative antibody response of man to infection or vaccination with *Pasteurella tularensis*, 51

ARCHETTI, ITALO, and HORSFALL, FRANK L., JR. Persistent antigenic variation of influenza A viruses after incomplete neutralization *in ovo* with heterologous immune serum, 441

BERNHEIMER, ALAN W. Stabilization of streptolysin S by potassium ions, 129

BEZER, ADA E. See LUMSDEN, KABAT, WOLF, and BEZER, 253

BLANCHARD, MERCER C. See DRAKE, KITTS, BLANCHARD, FARQUHAR, STOKES, and HENLE, 283

BLOCH, HUBERT. Studies on the virulence of tubercle bacilli. The relationship of the physiological state of the organisms to their pathogenicity, 507

BUSH, JAMES A. See YUILE, HAYDEN, BUSH, TESLUK, and STEWART, 367

CHEEVER, F. SARGENT, DANIELS, JOAN B., and HERSEY, E. FREEMAN. A viral agent isolated from a case of "non-paralytic poliomyelitis" and pathogenic for suckling mice: its possible relation to the Coxsackie group of viruses, 153

—. See PAPPENHEIMER, DANIELS, CHEEVER, and WELLER, 169

CINADER, BERNHARD, and PILLEMER, LOUIS. The purification and properties of streptolysin S, 219

CLAIBORNE, HERBERT A. See STEWART, YUILE, CLAIBORNE, SNOWMAN, and WHIPPLE, 375

CLARKE, NORMAN A. See MELNICK, CLARKE, and KRAFT, 499

COHN, CLARENCE. See WOLFSON, COHN, and SHORE, 121

COONS, ALBERT H. See HILL, DEANE, and COONS, 35

COWEN, DAVID, and WOLF, ABNER. Experimental congenital toxoplasmosis. I. The vagina as a portal of entry of *Toxoplasma* in the mouse, 393

— and —. II. Transmission of toxoplasmosis to the placenta and fetus following vaginal infection in the pregnant mouse, 403

— and —. III. Toxoplasmosis in the offspring of mice infected by the vaginal route. Incidence and manifestations of the disease, 417

DANIELS, JOAN B. See CHEEVER, DANIELS, and HERSEY, 153

—. See PAPPENHEIMER, DANIELS, CHEEVER, and WELLER, 169

DAVIS, JOHN C., JR. See MONTGOMERY, DAVIS, PRINE, and SWANN, 637

—. See SWANN, MONTGOMERY, DAVIS, and MICKLE, 625

DAVISON, CLARKE. See MILLER, DAVISON, and SMITH, 113

DEANE, HELEN WENDLER. See HILL, DEANE, and COONS, 35

DELAMATER, EDWARD D., WIGGALL, RICHTER H., and HAANES, MERLE. Studies on the life cycle of spirochetes. III. The life cycle of the Nichols pathogenic *Treponema pallidum* in the rabbit testis as seen by phase contrast microscopy, 239

DeLamater, Edward D., Wiggall, Richter H., and Haanes, Merle. Studies on the life cycle of spirochetes. IV. The life cycle of the Nichols pathogenic *Treponema pallidum* in the rabbit testis as visualized by means of stained smears, 247

Dong, Luther. See Faber, Silverberg, Luz, and Dong, 571

Drake, Miles E., Kitts, Albert W., Blanchard, Mercer C., Farquhar, John D., Stokes, Joseph, Jr., and Henle, Werner. Studies on the agent of infectious hepatitis. II. The disease produced in human volunteers by the agent cultivated in tissue culture or embryonated hen's eggs, 283

—. See Henle, Harris, Henle, Harris, Drake, Mangold, and Stokes, 271

Dubos, René J. The effect of organic acids on mammalian tubercle bacilli, 319

Duff, G. Lyman, and Payne, Torrence P. B. The effect of alloxan diabetes on experimental cholesterol atherosclerosis in the rabbit. III. The mechanism of the inhibition of experimental cholesterol atherosclerosis in alloxan-diabetic rabbits, 299

Elliott, S. D. The crystallization and serological differentiation of a streptococcal proteinase and its precursor, 201

Faber, Harold K., Silverberg, Rosalie J., Luz, Lester A., and Dong, Luther. Studies on entry and egress of poliomyelitis infection. III. Excretion of the virus during the presymptomatic period in parenterally inoculated monkeys, 571

Farquhar, John D. See Drake, Kitts, Blanchard, Farquhar, Stokes, and Henle, 283

Goebel, Walther F. Studies on bacteriophage. II. Inhibition of lysis of *Escherichia coli* B by the somatic antigen of phase II *Shigella sonnei*, 527

—. See Tal and Goebel, 25

Goetsch, J. B. See Knutti, Warrick, and Goetsch, 77

Haanes, Merle. See DeLamater, Wiggall, and Haanes, 239, 247

Harris, Susanna. See Henle, Harris, Henle, Harris, Drake, Mangold, and Stokes, 271

Harris, T. N. See Henle, Harris, Henle, Harris, Drake, Mangold, and Stokes, 271

Hayden, John W. See Yuile, Hayden, Bush, Tesluk, and Stewart, 367

Heidelberger, Michael. See Krueger and Heidelberger, 383

Henle, Gertrude. See Henle, Harris, Henle, Harris, Drake, Mangold, and Stokes, 271

Henle, Werner, Harris, Susanna, Henle, Gertrude, Harris, T. N., Drake, Miles E., Mangold, Françoise, and Stokes, Joseph, Jr. Studies on the agent of infectious hepatitis. I. Propagation of the agent in tissue culture and in the embryonated hen's egg, 271

—. See Drake, Kitts, Blanchard, Farquhar, Stokes, and Henle, 283

Hersey, E. Freeman. See Cheever, Daniels, and Hersey, 153

Hilderman, Helen L. See Olsen and Schroeder, 561

Hill, Alan G. S., Deane, Helen Wendler, and Coons, Albert H. Localization of antigen in tissue cells. V. Capsular polysaccharide of Friedländer bacillus, Type B, in the mouse, 35

HORSFALL, FRANK L., JR. See ARCHETTI and HORSFALL, 441

JACOX, RALPH F. The activating effect of calcium on a bactericidal substance for *Bacillus subtilis* in human serum, 101

KABAT, ELVIN A. See LUMSDEN, KABAT, WOLF, and BEZER, 253

KERBY, GRACE P. See MARTIN and KERBY, 45

KITTS, ALBERT W. See DRAKE, KITTS, BLANCHARD, FARQUHAR, STOKES, and HENLE, 283

KNUTTI, R. E., WARRICK, R. A., and GOETSCH, J. B. The maintenance of blood colloid: passage of stored gum acacia from the cells to the circulation after plasmapheresis, 77

KRAFT, LISBETH M., and MELNICK, JOSEPH L. Immunological reactions of the Coxsackie viruses. II. The complement fixation test, 483

—. See MELNICK, CLARKE, and KRAFT, 499

KRAUSS, MARJORIE R. See MACLEOD and KRAUSS, 1

KRUEGER, ROBERT C., and HEIDELBERGER, MICHAEL. Effect of the removal of lipids on specific precipitation, 383

LALICH, JOSEPH J., and SCHWARTZ, SEYMOUR I. The role of aciduria in the development of hemoglobinuric nephrosis in dehydrated rabbits, 11

LEDINKO, NADA. See MELNICK and LEDINKO, 463

LUMSDEN, CHARLES E., KABAT, ELVIN A., WOLF, ABNER, and BEZER, ADA E. Studies on acute disseminated encephalomyelitis produced experimentally in *rhesus* monkeys. V. Complement-fixing antibodies, 253

LUZ, LESTER A. See FABER, SILVERBERG, LUZ, and DONG, 571

MACLEOD, COLIN M., and KRAUSS, MARJORIE R. Relation of virulence of pneumococcal strains for mice to the quantity of capsular polysaccharide formed *in vitro*, 1

MANGOLD, FRANÇOISE. See HENLE, HARRIS, HENLE, HARRIS, DRAKE, MANGOLD, and STOKES, 271

MARTIN, SAMUEL P., and KERBY, GRACE P. The splanchnic removal in rabbits during fatal bacteriemias of the circulating organisms and of superimposed non-pathogenic bacteria, 45

MELNICK, JOSEPH L., CLARKE, NORMAN A., and KRAFT, LISBETH M. Immunological reactions of the Coxsackie viruses. III. Cross-protection tests in infant mice born of vaccinated mothers. Transfer of immunity through the milk, 499

— and LEDINKO, NADA. Immunological reactions of the Coxsackie viruses. I. The neutralization test: technic and application, 463

—. See KRAFT and MELNICK, 483

MENHARD, EDNA M. See OLSEN and SCHROEDER, 561

MENZEL, ARTHUR E. O. See SHERMAN, MENZEL, and SEEBOHM, 191

MERRITT, PHYLLIS. The effect of a deficiency of the B vitamin complex (except thiamine) on the blood pressure of the rat, 333

MICKLE, E. R. See SWANN, MONTGOMERY, DAVIS, and MICKLE, 625

MILLER, ZELMA BAKER, DAVISON CLARKE, and SMITH, PAUL K. The effect of podophyllotoxin, colchicine, urethane, and nitrogen mustard on the respiration of normal and suprarenalectomized rat lymphatic tissue, 113

MING, CHARLES. See DRAKE, KITTS, BLANCHARD, FARQUHAR, STOKES, and HENLE, 283
MING, MARY. See DRAKE, KITTS, BLANCHARD, FARQUHAR, STOKES, and HENLE, 283
MONTGOMERY, A. V., DAVIS, JOHN C., JR., PRINE, J. M., and SWANN, H. G. The intrarenal pressure; its relation to age, weight, blood pressure, and sex, 637
—. See SWANN, MONTGOMERY, DAVIS, and MICKLE, 625

NELSON, JOHN B. The relation of pleuropneumonia-like organisms to the conjunctival changes occurring in mice of the Princeton strain, 431

OLSEN, NORMAN S., and SCHROEDER, HENRY A. Pressor substances in arterial hypertension. III. Chemical studies on pherentasin, 561
—. See SCHROEDER and OLSEN, 545

PAPPENHEIMER, ALWIN M., DANIELS, JOAN B., CHEEVER, F. SARGENT, and WELLER, T. H. Lesions caused in suckling mice by certain viruses isolated from cases of so called non-paralytic poliomyelitis and of pleurodynia, 169
PATERSON, PHILIP Y. See THOMAS, PATERSON, and SMITHWICK, 133
PAYNE, TORRENCE P. B. See DUFF and PAYNE, 299
PEARCE, LOUISE. Hereditary osteopetrosis of the rabbit. III. Pathologic observations; skeletal abnormalities, 591
—. IV. Pathologic observations; general features, 601
PILLEMER, LOUIS. See CINADER and PILLEMER, 219
PRINE, J. M. See MONTGOMERY, DAVIS, PRINE, and SWANN, 637

RATHER, L. J. The pathogenesis of hypertension induced by renal constriction, 59

SCHROEDER, HENRY A., and OLSEN, NORMAN S. Pressor substances in arterial hypertension. II. Demonstration of pherentasin, a vasoactive material procured from blood, 545
—. See OLSEN and SCHROEDER, 561
SCHWARTZ, SEYMOUR I. See LALICH and SCHWARTZ, 11
SEEBOHM, PAUL M. See SHERMAN, MENZEL, and SEEBOHM, 191
SHERMAN, WILLIAM B., MENZEL, ARTHUR E. O., and SEEBOHM, PAUL M. The role of non-precipitating antibodies in the passive sensitization of human skin by rabbit anti-ovalbumin, 191
SHORE, CLARICE. See WOLFSON, COHN, and SHORE, 121
SILVERBERG, ROSALIE J. See FABER, SILVERBERG, LUZ, and DONG, 571
SMITH, MARY RUTH. See WOOD and SMITH, 85
SMITH, PAUL K. See MILLER, DAVISON, and SMITH, 113
SMITHWICK, BETTY. See THOMAS, PATERSON, and SMITHWICK, 133
SNOWMAN, RICHARD T. See STEWART, YUILE, CLAIBORNE, SNOWMAN, and WHIPPLE, 375
STEWART, WELLINGTON B., YUILE, CHARLES L., CLAIBORNE, HERBERT A., SNOWMAN, RICHARD T., and WHIPPLE, GEORGE H. Radioiron absorption in anemic dogs. Fluctuations in the mucosal block and evidence for a gradient of absorption in the gastrointestinal tract, 375
—. See YUILE, HAYDEN, BUSH, TESLUK, and STEWART, 367
STOKES, JOSEPH, JR. See DRAKE, KITTS, BLANCHARD, FARQUHAR, STOKES, and HENLE, 283

STOKES, JOSEPH, JR. See HENLE, HARRIS, HENLE, HARRIS, DRAKE, MANGOLD, and STOKES, 271
SWANN, H. G., MONTGOMERY, A. V., DAVIS, JOHN C., JR., and MICKLE, E. R. A method for rapid measurement of intrarenal and other tissue pressures, 625
—. See MONTGOMERY, DAVIS, PRINE, and SWANN, 637

TAL, CHLOE, and GOEBEL, WALTHER F. On the nature of the toxic component of the somatic antigen of *Shigella paradysenteriae* Type Z (Flexner), 25
TESLUK, HENRY. See YUILE, HAYDEN, BUSH, TESLUK, and STEWART, 367
THOMAS, LEWIS, PATERSON, PHILIP Y., and SMITHWICK, BETTY. Acute disseminated encephalomyelitis following immunization with homologous brain extracts. I. Studies on the role of a circulating antibody in the production of the condition in dogs, 133
TRAGER, WILLIAM. Studies on the extracellular cultivation of an intracellular parasite (avian malaria). I. Development of the organisms in erythrocyte extracts, and the favoring effect of adenosinetriphosphate, 349

WARRICK, R. A. See KNUTTI, WARRICK, and GOETSCH, 77
WELLER, T. H. See PAPPENHEIMER, DANIELS, CHEEVER, and WELLER, 169
WHIPPLE, GEORGE H. See STEWART, YUILE, CLAIBORNE, SNOWMAN, and WHIPPLE, 375
WIGGALL, RICHTER H. See DELAMATER, WIGGALL, and HAANES, 239, 247
WOLF, ABNER. See COWEN and WOLF, 393, 403, 417
—. See LUMSDEN, KABAT, WOLF, and BEZER, 253
WOLFSON, WILLIAM Q., COHN, CLARENCE, and SHORE, CLARICE. The renal mechanism for urate excretion in the Dalmatian coach-hound, 121
WOOD, W. BARRY, JR., and SMITH, MARY RUTH. Host–parasite relationships in experimental pneumonia due to pneumococcus Type III, 85

YUILE, CHARLES L., HAYDEN, JOHN W., BUSH, JAMES A., TESLUK, HENRY, and STEWART, WELLINGTON B. Plasma iron and saturation of plasma iron–binding protein in dogs as related to the gastrointestinal absorption of radioiron, 367
—. See STEWART, YUILE, CLAIBORNE, SNOWMAN, and WHIPPLE, 375

INDEX TO SUBJECTS

ABSORPTION, gastrointestinal, of radioiron, relation of plasma iron and saturation of plasma iron-binding protein in dogs, 367
—, radioiron, in gastrointestinal tract and fluctuation in mucosal block in anemic dogs, 375
Acacia, gum, stored, passage from the cells to circulation after plasmapheresis, and maintenance of blood colloid, 77
Acids, organic, effect on mammalian tubercle bacilli, 319
Aciduria in development of hemoglobinuric nephrosis in dehydrated rabbits, 11
Adenosinetriphosphate, effect, and development of organisms in erythrocyte extracts, in extracellular cultivation of intracellular parasite, avian malaria, 349
Adrenalectomy. *See* Suprarenalectomy.
Age, weight, blood pressure, and sex, in intrarenal pressure, 637
Albumin, egg, anti-, rabbit, role of non-precipitating antibodies in passive sensitization of human skin by, 191
Alloxan-diabetic rabbits, mechanism of inhibition of cholesterol atherosclerosis in, 299
Anemic dogs, radioiron absorption in gastrointestinal tract and fluctuations in mucosal block, 375
Antibodies, complement-fixing, and acute disseminated encephalomyelitis produced in *rhesus* monkeys, 253
—, non-precipitating, in passive sensitization of human skin by rabbit anti-ovalbumin, 191
Antibody, circulating, and acute disseminated encephalomyelitis following immunization with homologous brain extracts, 133
— response of man to infection or vaccination with *Pasteurella tularensis*, 51
Antigen, localization in tissue cells, capsular polysaccharide of Friedländer bacillus, Type B, 35
—, somatic, of phase II *Shigella sonnei* in inhibition of lysis of *Escherichia coli* B, in studies on bacteriophage, 527
—, somatic, of *Shigella paradysenteriae* Type Z (Flexner), toxic component of, 25
Antigenic variation of influenza A viruses after incomplete neutralization *in ovo* with heterologous immune serum, 441
Arterial hypertension, pressor substances in, and chemical studies on pherentasin, 561
— hypertension, pressor substances in, with pherentasin, a vasoactive material procured from blood, 545
Atherosclerosis, cholesterol, in alloxan-diabetic rabbits, mechanism of inhibition of, 299
Avian malaria, intracellular parasite, extracellular cultivation of, and development of organisms in erythrocyte extracts and effect of adenosinetriphosphate, 349

BACILLI, mammalian tubercle, effect of organic acids on, 319
—, tubercle, virulence, and relationship of the physiological state of organisms to their pathogenicity, 507

Bacillus, Friedländer, Type B, capsular polysaccharide of, localization of antigen in tissue cells, 35
— *subtilis* in human serum, effect of calcium on a bactericidal substance for, 101
Bacteria, non-pathogenic, superimposed, and circulating organisms in fatal bacteriemias, splanchnic removal in rabbits, 45
Bactericidal substance for *Bacillus subtilis* in human serum, effect of calcium on, 101
Bacteriemias, fatal, of circulating organisms and of superimposed non-pathogenic bacteria, splanchnic removal in rabbits, 45
Bacteriophage and inhibition of lysis of *Escherichia coli* B by somatic antigen of phase II *Shigella sonnei*, 527
Blood colloid and passage of stored gum acacia from cells to circulation after plasmapheresis, 77
—, pherentasin, a vasoactive material procured from, in pressor substances in arterial hypertension, 545
— pressure, age, weight, and sex, in intrarenal pressure, 637
— pressure of rat, effect of deficiency of B vitamin complex, except thiamine, on, 333
Brain extracts, homologous, immunization with, followed by acute disseminated encephalomyelitis, and role of circulating antibody, 133

CALCIUM, activating effect on a bactericidal substance for *Bacillus subtilis* in human serum, 101
Cells, extracellular cultivation of intracellular avian malaria parasite, and development of organisms in erythrocyte extracts and effect of adenosinetriphosphate, 349
—, passage of stored gum acacia from, to circulation after plasmapheresis, and maintenance of blood colloid, 77
Cells, tissue, localization of antigen in, capsular polysaccharide of Friedländer bacillus, Type B, 35
Chemical studies on pherentasin in pressor substances in arterial hypertension, 561
Cholesterol atherosclerosis in alloxan-diabetic rabbits, mechanism of inhibition of, 299
Circulating antibody and acute disseminated encephalomyelitis following immunization with homologous brain extracts, 133
— organisms and superimposed non-pathogenic bacteria in fatal bacteriemias, splanchnic removal in rabbits, 45
Circulation after plasmapheresis, passage of stored gum acacia from cells to, and maintenance of blood colloid, 77
Colchicine, podophyllotoxin, urethane, and nitrogen mustard, effect on respiration of normal and suprarenalectomized rat lymphatic tissue, 113
Colloid, blood, passage of stored gum acacia from cells to circulation after plasmapheresis, 77
Complement fixation test and immunological reactions of Coxsackie viruses, 483
Complement-fixing antibodies, and acute disseminated encephalomyelitis produced in *rhesus* monkeys, 253
Congenital toxoplasmosis in mouse, vagina as portal of entry, 393
— toxoplasmosis in offspring of mice infected by vaginal route, incidence and manifestations, 417
— toxoplasmosis, transmission to placenta and fetus following vaginal infection in pregnant mouse, 403
Conjunctival changes in mice of Princeton strain, relation of pleuropneumonia-like organisms to, 431
Coxsackie viruses, immunological reactions, cross-protection tests in infant mice born of vaccinated

mothers, and transfer of immunity through milk, 499
Coxsackie viruses, immunological reactions in complement fixation test, 483
— viruses, immunological reactions in neutralization test, 463
— viruses, relation to viral agent isolated from non-paralytic poliomyelitis and pathogenic for suckling mice, 153
Crystallization and serological differentiation of streptococcal proteinase and its precursor, 201
Cultivation, extracellular, of intracellular avian malaria parasite, and development of organisms in erythrocyte extracts and effect of adenosinetriphosphate, 349
— in tissue culture or embryonated hen's eggs of agent producing infectious hepatitis in man, 283
—, tissue, and embryonated hen's egg, propagation of agent of infectious hepatitis, 271

DEFICIENCY of B vitamin complex, except thiamine, on blood pressure of rat, 333
Dehydration in rabbits with hemoglobinuric nephrosis resulting from aciduria, 11
Detoxification, peroxidative, of purified diphtheria toxin, 337
Diabetes, alloxan, in rabbits, mechanism of inhibition of cholesterol atherosclerosis in, 299
Diphtheria toxin, purified, peroxidative detoxification of, 337
Disease, congenital toxoplasmosis in offspring of mice infected by vaginal route, incidence and manifestations of, 417
—, infectious hepatitis, produced in man by agent cultivated in tissue culture or embryonated hen's eggs, 283

EGG, embryonated hen's, and tissue culture, propagation of agent of infectious hepatitis in, 271
Eggs, embryonated hen's and tissue culture, cultivation of agent producing infectious hepatitis in man, 283
Embryonated hen's egg and tissue culture, propagation of agent of infectious hepatitis in, 271
— hen's eggs and tissue culture, cultivation of agent producing infectious hepatitis in man, 283
Encephalomyelitis, acute disseminated, following immunization with homologous brain extracts, and role of circulating antibody, 133
—, acute disseminated, produced in *rhesus* monkeys, and complement-fixing antibodies, 253
Erythrocyte extracts, development of organisms in, and effect of adenosinetriphosphate, in extracellular cultivation of intracellular parasite, avian malaria, 349
Escherichia coli B, inhibition of lysis by somatic antigen of phase II *Shigella sonnei*, in bacteriophage studies, 527
Excretion of poliomyelitis virus during the presymptomatic period in parenterally inoculated monkeys, entry and egress of infection, 571
— of urate in Dalmatian coachhound, renal mechanism for, 121
Extracts, erythrocyte, development of organisms in, and effect of adenosinetriphosphate, in extracellular cultivation of intracellular parasite, avian marlaria, 349
—, homologous brain, immunization with, followed by acute disseminated encephalomyelitis, and role of circulating antibody, 133

FETUS and placenta, transmission of toxoplasmosis to, following vaginal infection in pregnant mouse, 403
Fixation, complement. *See* Complement.

Flexner *Shigella paradysenteriae* Type Z, toxic component of somatic antigen of, 25
Friedländer bacillus, Type B, capsular polysaccharide of, localization of antigen in tissue cells, 35

GASTROINTESTINAL absorption of radioiron and fluctuation in mucosal block in anemic dogs, 375
— absorption of radioiron, relation of plasma iron and saturation of plasma iron-binding protein in dogs, 367
Gum acacia, stored, passage from the cells to circulation after plasmapheresis, and maintenance of blood colloid, 77

HEMOGLOBINURIC nephrosis in dehydrated rabbits, aciduria in development of, 11
Hepatitis, infectious, produced in man by agent cultivated in tissue culture or embryonated hen's eggs, 283
—, infectious, propagation of agent in tissue culture and in embryonated hen's egg, 271
Hereditary osteopetrosis of rabbit, general features in pathological observations, 601
— osteopetrosis of rabbit, pathologic observations and skeletal abnormalities, 591
Heterologous immune serum, antigenic variation of influenza A viruses after incomplete neutralization *in ovo* with, 441
Homologous brain extracts, immunization with, followed by acute disseminated encephalomyelitis and role of circulating antibody in, 133
Host-parasite relationships in pneumonia due to pneumococcus Type III, 85
Hypertension, arterial, pressor substances and chemical studies on pherentasin, 561
Hypertension, arterial, pressor substances in, with pherentasin, a vasoactive material procured from blood, 545
— induced by renal constriction, pathogenesis, 59

IMMUNE serum, heterologous, antigenic variation of influenza A viruses after incomplete neutralization *in ovo* with, 441
Immunization with homologous brain extracts followed by acute disseminated encephalomyelitis, and role of circulating antibody, 133
Immunological reactions of Coxsackie viruses, cross-protection tests in infant mice born of vaccinated mothers, and transfer of immunity through milk, 499
— reactions of Coxsackie viruses, in complement fixation test, 483
— reactions of Coxsackie viruses, in neutralization test, 463
Influenza A viruses, antigenic variation after incomplete neutralization *in ovo* with heterologous immune serum, 441
Inoculation of monkeys parenterally, excretion of poliomyelitis virus during presymptomatic period, entry and egress of infection, 571
Ions, potassium, stabilization of streptolysin S by, 129
Iron, plasma, and saturation of plasma iron-binding protein in dogs as related to gastrointestinal absorption of radioiron, 367

KIDNEY constriction, pathogenesis of hypertension induced by, 59
— mechanism for urate excretion in Dalmatian coach-hound, 121
—, pressure within, relation to age, weight, blood pressure, and sex, 637
—, rapid measurement of pressures within, and other tissue pressures, 625

LESIONS caused in suckling mice by viruses isolated from non-paralytic poliomyelitis and pleurodynia, 169
Lipids, effect of removal on specific precipitation, 383
Lymphatic tissue of rat, normal and suprarenalectomized, effect of podophyllotoxin, colchicine, urethane, and nitrogen mustard on respiration of, 113
Lysis of *Escherichia coli* B, inhibition by somatic antigen of phase II *Shigella sonnei*, in bacteriophage studies, 527

MALARIA, avian, intracellular parasite, extracellular cultivation of, and development of organisms in erythrocyte extracts and effect of adenosinetriphosphate, 349
Mammalian tubercle bacilli, effect of organic acids on, 319
Man, antibody response to infection or vaccination with *Pasteurella tularensis*, 51
—, infectious hepatitis produced in, by agent cultivated in tissue culture or embryonated hen's eggs, 283
—, serum, effect of calcium on a bactericidal substance for *Bacillus subtilis* in, 101
—, skin, passive sensitization by rabbit anti-ovalbumin, role of non-precipitating antibodies, 191
Microorganisms, circulating, and superimposed non-pathogenic bacteria in fatal bacteriemias, splanchnic removal in rabbits, 45
—, development in erythrocyte extracts and effect of adenosinetriphosphate, in extracellular cultivation of an intracellular parasite, avian malaria, 349
—, physiological state of, relationship to their pathogenicity in studies on virulence of tubercle bacilli, 507
Microorganisms, pleuropneumonia-like, relation to conjunctival changes in mice of Princeton strain, 431
Microscopy, phase contrast, used to show life cycle of Nichols pathogenic *Treponema pallidum* in rabbit testis, 239
Milk, transference of immunity through, with cross-protection tests in infant mice born of vaccinated mothers, in immunological reactions of Coxsackie viruses, 499
Mucosal block, fluctuations, and gastrointestinal absorption of radioiron in anemic dogs, 375
Mustard, nitrogen, podophyllotoxin, colchicine, and urethane, effect on respiration of normal and suprarenalectomized rat lymphatic tissue, 113

NEPHROSIS, hemoglobinuric, in dehydrated rabbits, aciduria in development of, 11
Nitrogen mustard, podophyllotoxin, colchicine, and urethane, effect on respiration of normal and suprarenalectomized rat lymphatic tissue, 113

ORGANIC acids, effect on mammalian tubercle bacilli, 319
Organisms. *See* Microorganisms.
Osteopetrosis, hereditary, of rabbit, general features in pathological observations, 601
—, hereditary, of rabbit, pathologic observations, and skeletal abnormalities, 591
Ovalbumin, anti-, rabbit, role of non-precipitating antibodies in passive sensitization of human skin by, 191

PARALYTIC, non-, poliomyelitis, isolation of viral agent from, and its pathogenicity for suckling mice, relation to Coxsackie viruses, 153

Paralytic, non-, poliomyelitis, and pleurodynia, lesions caused in suckling mice by viruses isolated from, 169
Parasite, avian malaria, intracellular, extracellular cultivation of, and development of organisms in erythrocyte extracts and effect of adenosinetriphosphate, 349
Parasite-host relationships in pneumonia due to pneumococcus Type III, 85
Pasteurella tularensis, antibody response of man to infection or vaccination with, 51
Pathogenesis of hypertension induced by renal constriction, 59
Pathogenic, non-, bacteria, superimposed, and circulating organisms in fatal bacteriemias, splanchnic removal in rabbits, 45
— *Treponema pallidum*, Nichols, in rabbit testis, life cycle seen by phase contrast microscopy, 239
— *Treponema pallidum*, Nichols, in rabbit testis, life cycle visualized by stained smears, 247
Pathogenicity for suckling mice of viral agent isolated from non-paralytic poliomyelitis, relation to Coxsackie viruses, 153
—, relationship of physiological state of organisms to, in studies on virulence of tubercle bacilli, 507
Pathologic observations and skeletal abnormalities in hereditary osteopetrosis of rabbit, 591
Pathological observations and general features in hereditary osteopetrosis of rabbit, 601
Peroxidative detoxification of purified diphtheria toxin, 337
Phage. *See* Bacteriophage.
Pherentasin, chemical studies on, in pressor substances in arterial hypertension, 561
—, vasoactive material procured from blood, in pressor substances in arterial hypertension, 545
Physiological state of organisms, relationship to their pathogenicity in studies on virulence of tubercle bacilli, 507
Placenta and fetus, transmission of toxoplasmosis to, following vaginal infection in pregnant mouse, 403
Plasma iron and saturation of plasma iron-binding protein in dogs as related to gastrointestinal absorption of radioiron, 367
Plasmapheresis, passage of stored gum acacia from cells to circulation after, and maintenance of blood colloid, 77
Pleurodynia and non-paralytic poliomyelitis, lesions caused in suckling mice by viruses isolated from, 169
Pleuropneumonia-like organisms, relation to conjunctival changes in mice of Princeton strain, 431
Pneumococcal strains, virulence, relation to quantity of capsular polysaccharide formed *in vitro*, 1
Pneumococcus Type III causing pneumonia, parasite-host relationships, 85
Pneumonia due to pneumococcus Type III, parasite-host relationships, 85
—, pleuro-, organisms, relation to conjunctival changes in mice of Princeton strain, 431
Podophyllotoxin, colchicine, urethane, and nitrogen mustard, effect on respiration of normal and suprarenalectomized rat lymphatic tissue, 113
Poliomyelitis, excretion of virus during presymptomatic period in parenterally inoculated monkeys, entry and egress of infection, 571
—, non-paralytic, isolation of viral agent from, and its pathogenicity for suckling mice, relation to Coxsackie viruses, 153
—, non-paralytic, and pleurodynia, lesions caused in suckling mice by viruses isolated from, 169

Polysaccharide, capsular, of Friedländer bacillus, Type B, localization of antigen in tissue cells, 35
—, capsular, quantity formed *in vitro*, relation of virulence of pneumococcal strains, 1
Potassium ions, stabilization of streptolysin S by, 129
Precipitating, non-, antibodies in passive sensitization of human skin by rabbit anti-ovalbumin, 191
Precipitation, specific, effect of removal of lipids on, 383
Pregnant mouse, vaginal infection, and resulting transmission of congenital toxoplasmosis to fetus and placenta, 403
Pressor substances in arterial hypertension, chemical studies on pherentasin, 561
— substances in arterial hypertension, with pherentasin, a vasoactive material procured from blood, 545
Pressure, blood, age, weight, and sex, in intrarenal pressure, 637
—, blood, of rat, effect of deficiency of B vitamin complex, except thiamine, on, 333
Pressures, intrarenal and tissue, rapid measurement of, 625
Princeton strain, conjunctival changes in mice of, relation of pleuropneumonia-like organisms to, 431
Protein, plasma iron–binding, saturation of, and plasma iron, in dogs as related to gastrointestinal absorption of radioiron, 367
Proteinase, streptococcal, and its precursor, crystallization and serological differentiation of, 201

RADIOIRON absorption in gastrointestinal tract and fluctuation in mucosal block in anemic dogs, 375
—, gastrointestinal absorption, relation of plasma iron and saturation of plasma iron–binding protein in dogs, 367
Renal. *See* Kidney.
Respiration of normal and suprarenalectomized rat lymphatic tissue, effect of podophyllotoxin, colchicine, urethane, and nitrogen mustard on, 113

SENSITIZATION, passive, of human skin by rabbit anti-ovalbumin, role of non-precipitating antibodies, 191
Serological differentiation and crystallization of streptococcal proteinase and its precursor, 201
Serum, heterologous immune, antigenic variation of influenza A viruses after incomplete neutralization *in ovo* with, 441
—, human, effect of calcium on a bactericidal substance for *Bacillus subtilis* in, 101
Sex, age, weight, blood pressure in intrarenal pressure, 637
Shigella paradysenteriae Type Z (Flexner) toxic component of somatic antigen of, 25
— *sonnei*, antigen of phase II in inhibition of lysis of *Escherichia coli* B, in studies on bacteriophage, 527
Skeletal abnormalities and pathologic observation in hereditary osteopetrosis of rabbit, 591
Skin, human, passive sensitization by rabbit anti-ovalbumin, role of non-precipitating antibodies, 191
Specific precipitation, effect of removal of lipids on, 383
Spirochetes, life cycle of Nichols pathogenic *Treponema pallidum* in rabbit testis, seen by phase contrast microscopy, 239
—, life cycle of Nichols pathogenic *Treponema pallidum* in rabbit testis, visualized by stained smears, 247
Splanchnic removal in rabbits during fatal bacteriemias of circulating organisms and of superimposed nonpathogenic bacteria, 45

Stained smears used to visualize life cycle of Nichols pathogenic *Treponema pallidum* in rabbit testis, 247
Streptococcal proteinase and its precursor, crystallization and serological differentiation of, 201
Streptolysin S, purification and properties, 219
— S, stabilization by postassium ions, 129
Suprarenalectomy, rat lymphatic tissue, effect of podophyllotoxin, colchicine, urethane, and nitrogen mustard on respiration, 113

TESTIS, rabbit, life cycle of Nichols pathogenic *Treponema pallidum* seen by phase contrast microscopy, 239
—, rabbit, life cycle of Nichols pathogenic *Treponema pallidum* visualized by stained smears, 247
Thiamine, effect of deficiency of B vitamin complex on blood pressure of rat, with exception of, 333
Tissue cells, localization of antigen in, capsular polysaccharide of Friedländer bacillus, Type B, 35
— culture and embryonated hen's egg, propagation of agent of infectious hepatitis in, 271
— culture or embryonated hen's eggs, infectious hepatitis produced in man by agent cultivated in, 283
— and intrarenal pressures, rapid measurement of, 625
—, lymphatic of rat, normal and suprarenalectomized, effect of podophyllotoxin, colchicine, urethane, and nitrogen mustard on respiration of, 113
Toxic component of somatic antigen of *Shigella paradysenteriae* Type Z (Flexner), 25
Toxin, podophyllo-, colchicine, urethane, and nitrogen mustard, effect on respiration of normal and suprarenalectomized rat lymphatic tissue, 113
Toxin, purified diphtheria, peroxidative detoxification of, 337
Toxoplasmosis, congenital, in mouse, vagina as portal of entry, 393
—, congenital, in offspring of mice infected by vaginal route, incidence and manifestations, 417
—, congenital, transmission to placenta and fetus following vaginal infection in pregnant mouse, 403
Transference of immunity through milk with cross-protection tests in infant mice born of vaccinated mothers, in immunological reactions of Coxsackie viruses, 499
Transmission of congenital toxoplasmosis to placenta and fetus following vaginal infection in pregnant mouse, 403
Treponema pallidum, Nichols, in rabbit testis, pathogenic, life cycle seen by phase contrast microscopy, 239
— *pallidum*, Nichols, in rabbit testis, pathogenic, life cycle visualized by stained smears, 247
Triphosphate, adenosine-, effect, and development of organisms in erythrocyte extracts, in extracellular cultivation of intracellular parasite, avian malaria, 349
Tubercle bacilli, mammalian, effect of organic acids on, 319
— bacilli, virulence, and relationship of physiological state of organisms to their pathogenicity, 507

URATE in Dalmatian coach-hound, renal mechanism for excretion, 121
Urethane, podophyllotoxin, colchicine, and nitrogen mustard, effect on respiration of normal and suprarenalectomized rat lymphatic tissue, 113

VACCINATED mothers, cross-protection tests in infant mice born of, and transfer of immunity

through milk, in immunological reactions of Coxsackie viruses, 499
Vaccination or infection with *Pasteurella tularensis*, antibody response of man to, 51
Vagina as portal of entry of congenital toxoplasmosis in mouse, 393
Vaginal infection in pregnant mouse and resulting transmission of congenital toxoplasmosis to fetus and placenta, 403
— infection of mice and resulting congenital toxoplasmosis of offspring, incidence and manifestations, 417
Vasoactive material procured from blood, pherentasin, in pressor substances in arterial hypertension, 545
Viral agent isolated from non-paralytic poliomyelitis and pathogenic for suckling mice, relation to Coxsackie viruses, 153
Virulence of pneumococcal strains, relation to quantity of capsular polysaccharide formed *in vitro*, 1
— of tubercle bacilli, and relationship of physiological state of organisms to their pathogenicity, 507
Virus, poliomyelitis, excretion during the presymptomatic period in parenterally inoculated monkeys, entry and egress of infection, 571
Viruses, Coxsackie, immunological reactions, cross-protection tests in infant mice born of vaccinated mothers, and transfer of immunity through milk, 499
—, Coxsackie, immunological reactions in complement fixation test, 483
—, Coxsackie, immunological reactions in neutralization test, 463
—, Coxsackie, and relation to viral agent isolated from non-paralytic poliomyelitis and pathogenic for suckling mice, 153
—, influenza A, antigenic variation after incomplete neutralization *in ovo* with heterologous immune serum, 441
— isolated from non-paralytic poliomyelitis and pleurodynia, and causing lesions in suckling mice, 169
Vitamin B complex, except thiamine, effect of deficiency on blood pressure of rat, 333

WEIGHT, age, blood pressure, and sex in intrarenal pressure, 637